

INCH - POUND

MIL-DTL- 38999K
SUPPLEMENT 1
12 July 2002

DETAIL SPECIFICATION

CONNECTORS, ELECTRICAL CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-DTL-38999K, dated 17 December 1999.

Series I, Scoop – proof connectors:

- MIL-DTL-38999/9 - Connectors, Electrical, Circular, Receptacle, Dummy Stowage, Bayonet Coupling, (MIL-C-27599 Series I, and MIL-DTL-38999 Series I)
- MS27466 - Connectors, Receptacle, Electrical, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series I.
- MS27467 - Connectors, Plug, Electrical, Straight, Crimp Type, Bayonet Coupling, Series I.
- MS27468 - Connectors, Receptacle, Electrical, Jam-Nut Mounting, Crimp Type, Bayonet Coupling, Series I.
- MS27469 - Connectors, Receptacle, Electrical, Wall Mounting Flange, Solder Type, Hermetic Seal, Series I.
- MS27470 - Connectors, Receptacle, Electrical, Jam-Nut Mounting, Solder Type, Hermetic Seal, Series I.
- MS27471 - Connectors, Receptacle, Electrical, Solder Mounting, Solder Type, Hermetic Seal, Series I.
- MS27496 - Connectors, Receptacle, Electrical, Box Mounting, Crimp Type, Bayonet Coupling, Series I.
- MS27505 - Connectors, Receptacle, Electrical, Back Panel, Box Mounting Flange, Crimp Type, Bayonet Coupling, Series I.
- MS27515 - Connectors, Receptacle, Electrical, Crimp Type, Back Panel, Wall Mounting Flange, Series I, (Inactive/use MS27656).
- MS27652 - Connectors, Receptacle, Electrical, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series I (Inactive / use MS27466).
- MS27653 - Connectors, Plug, Electrical, Straight, Crimp Type, Bayonet Coupling, Series I, (Inactive / use MS27467).
- MS27654 - Connectors, Receptacle, Electrical, Back Panel, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series I, (Inactive / use MS27656).
- MS27656 - Connectors, Receptacle, Electrical, Back Panel, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series I.
- MS27661 - Connectors, Plug, Electrical, Crimp Type, Lanyard Release, Fail Safe, Series I.
- MS27662 - Connectors, Receptacle, Electrical, Thru-Bulkhead Mounting, Bayonet Coupling, Series I.

AMSC N/A

1 of 5

FSC 5935

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MIL-DTL-38999K
SUPPLEMENT 1

Series II, low silhouette connectors:

- MIL-DTL-38999/10 - Connectors, Electrical, Circular, Receptacle, Dummy Stowage, Bayonet Coupling Flange, (MIL-C-27599 Series II, and MIL-DTL-38999 Series II)
- MS27472 - Connectors, Receptacle, Electrical Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series II (Inactive).
- MS27473 - Connectors, Plug, Electrical Straight, Crimp Type, Bayonet Coupling, Series II (Inactive).
- MS27474 - Connectors, Receptacle, Electrical, Jam-Nut Mounting, Crimp Type, Bayonet Coupling, Series II (Inactive).
- MS27475 - Connectors, Receptacle, Electrical, Wall Mounting Flange, Solder Type, Hermetic Seal, Series II (Inactive).
- MS27476 - Connectors, Receptacle, Electrical, Box Mounting, Solder Type, Hermetic Seal, Series II (Inactive).
- MS27477 - Connectors, Receptacle, Electrical Jam-Nut Mounting, Solder Type, Hermetic Seal, Series II (Inactive).
- MS27478 - Connectors, Receptacle, Electrical Solder Mounting, Solder Type, Hermetic Seal, Series II (Inactive).
- MS27479 - Connectors, Receptacle, Electric, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series II (Inactive).
- MS27480 - Connectors, Plug, Electric, Straight, Crimp Type, Bayonet Coupling, Series II, (Inactive).
- MS27481 - Connectors, Receptacle, Electric, Jam-Nut Mounting, Crimp Type, Bayonet Coupling, Series II (Inactive).
- MS27484 - Connectors, Plug, Electrical, Straight, Crimp Type, Bayonet Coupling, EMI, Series II (Inactive).
- MS27497 - Connectors, Receptacle, Electrical, Back Panel Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series II (Inactive).
- MS27499 - Connectors, Receptacle, Electrical, Box Mounting Flange, Crimp Type, Bayonet Coupling, Series II (Inactive).
- MS27500 - Connectors, Plug, Electrical, 90 Degree Elbow, Crimp Type, Bayonet Coupling, Series II (Inactive).
- MS27504 - Connectors, Receptacle, Electrical, Box Mounting Flange, Crimp Type, Bayonet Coupling Series II (Inactive).
- MS27508 - Connectors, Receptacle, Electrical, Back Panel Box Mounting Flange, Crimp Type, Bayonet Coupling, Series II (Inactive).
- MS27513 - Connectors, Receptacle, Electrical, Box Mounting Flange, Crimp Type, Bayonet Coupling, Series II (Inactive).

MIL-DTL-38999K
SUPPLEMENT 1

Series III, scoop-proof, environment resistant, triple start threaded coupling connectors:

- MIL-DTL-38999/20 - Connectors, Electrical, Circular, Receptacle, Threaded, Wall Mounting Flange, Removable Crimp Contacts, Series III, Metric.
- MIL-DTL-38999/21 - Connectors, Electrical, Circular, Threaded, Receptacle, Box Mounting Flange, Hermetic Solder Contacts, Series III, Metric.
- MIL-DTL-38999/22 - Connectors, Electrical, Circular, Receptacle, Threaded, Dummy Stowage, Series III, Metric.
- MIL-DTL-38999/23 - Connectors, Electrical, Circular, Threaded, Receptacle, Jam-Nut Mounting, Hermetic, Hermetic Solder Contacts, Metric.
- MIL-DTL-38999/24 - Connectors, Electrical, Circular, Receptacle, Threaded, Jam-Nut Mounting, Removable Crimp, Contacts, Series III, Metric.
- MIL-DTL-38999/25 - Connectors, Electrical, Circular, Threaded, Receptacle, Solder Mounting, Hermetic, Hermetic Solder Contacts, Series III, Metric.
- MIL-DTL-38999/26 - Connectors, Electrical, Circular, Plug, Straight, Removable Crimp Contacts, Metric.
- MIL-DTL-38999/27 - Connectors, Electrical, Circular, Threaded, Receptacle, Weld Mounting, Hermetic, Hermetic Solder Contacts, Series III, Metric.
- MIL-DTL-38999/29 - Connectors, Electrical, Circular, Threaded, Plug, Lanyard Release, Fail-Safe, Removable Crimp Contacts, Pins, Series III, Metric.
- MIL-DTL-38999/30 - Connectors, Electrical, Circular, Threaded, Plug, Lanyard Release, Fail-Safe, Removable Crimp Contacts, Sockets, Series III, Metric.
- MIL-DTL-38999/31 - Connectors, Electrical, Circular, Threaded, Plug, Lanyard Release, Fail-Safe, Removable Crimp Contacts, Pins, Shell Size 25, Series III, Metric.
- MIL-DTL-38999/34 - Connectors, Receptacle, Electrical, Circular, Breakaway, Jam-Nut Mounting, Removable Crimp Contacts, Sockets, Series III, Shell size 25, Metric.
- MIL-DTL-38999/35 - Connectors, Receptacle, Electrical, Circular, Breakaway Wall Mounting Flange, Removable Crimp Contacts, Sockets, Series III, Shell Size 25, Metric.

Series IV, scoop-proof, environment resistant, breech coupling connectors:

- MIL-DTL-38999/40 - Connectors, Electrical, Circular, Receptacle, Wall Mounting Flange, Removable Crimp Contacts, Series IV, Metric.
- MIL-DTL-38999/41 - Connectors, Electrical, Circular, Receptacle, Box Mounting Flange, Hermetic, Breech Coupling, Hermetic Solder Contacts, Series IV, Metric.
- MIL-DTL-38999/42 - Connectors, Electrical, Circular, Receptacle, Box, Mounting Flange, Breech Coupling, Removable Crimp Contacts, Series IV, Metric.
- MIL-DTL-38999/43 - Connectors, Electrical, Circular, Receptacle, Jam-Nut Mounting, Hermetic, Breech Coupling, Hermetic Solder Contacts, Series IV, Metric.
- MIL-DTL-38999/44 - Connectors, Electrical, Circular, Receptacle, Jam-Nut Mounting, Breech Coupling Removable Crimp Contacts, Series IV, Metric.
- MIL-DTL-38999/45 - Connectors, Electrical, Circular, Receptacle, Solder Mounting, Hermetic, Breech Coupling, Hermetic Solder Contacts, Series IV, Metric.
- MIL-DTL-38999/46 - Connectors, Electrical, Circular, Plug, Breech Coupling, EMI Grounding, Removable Crimp Contacts, Series IV, Metric.
- MIL-DTL-38999/47 - Connectors, Electrical, Circular, Plug, Breech Coupling, Removable Crimp, Contacts, Series IV, Metric.
- MIL-DTL-38999/48 - Connectors, Electrical, Circular, Receptacle, Weld Mounting, Hermetic, Breech Coupling, Hermetic Solder Contacts, Series IV, Metric.
- MIL-DTL-38999/49 - Connectors, Electrical, Circular, Receptacle, In Line Cable, Breech Coupling, Removable Crimp Contacts, Series IV, Metric.
- MIL-DTL-38999/50 - Connectors, Electrical, Circular, Receptacle, Dummy Stowage, Breech Coupling, Series IV, Metric.

**MIL-DTL-38999K
 SUPPLEMENT 1**

CONNECTOR ACCESSORIES

Series I and II:

- MS27342 - Connectors, Adapter, Electrical, Series I and II.
- MS27487 - Connectors, Adapter, Electrical, Threaded, Kit, Straight and 90 Degrees, EMR Hardware, Series I and II.
- MS27489 - Connectors, Adapter, Electrical, Reducer, EMR Hardware, Series I and II.
- MS27501 - Connectors, Electrical, Circular, Cover, Protective, Plug, Bayonet Coupling, Series I.
- MS27502 - Connectors, Electrical, Circular, Cover, Protective, Receptacle, Bayonet Coupling, Series I.
- MS27510 - Cover, Protective, Electrical Connector Plug, Bayonet Coupling, Series II (Inactive).
- MS27511 - Cover, Electrical Connector, Protective, Receptacle, Bayonet Coupling, Series II (Inactive).
- MS27512 - Nut, Hexagon, Connector Mounting, Series II (Inactive, use MS3186).

Series III and IV:

- MIL-DTL-38999/28 - Connectors, Electrical, Circular, Nut, Hexagon, Connector Mounting, Series II and IV, Metric.
- MIL-DTL-38999/32 - Connectors, Electrical, Circular, Cover, Protective, Plug, Series III, Metric.
- MIL-DTL-38999/33 - Connectors, Electrical, Circular, Cover, Protective, Receptacle, Series III, Metric.

APPLICABLE CONTACTS FOR MIL-DTL-38999 CONNECTORS.

Series I, II, III, and IV:

MIL-C-39029

	Power	Shielded/Coax	Twinax	Thermocouple	Wirewrap
Pin	/58, /107	/28, /60 /76, /102	/90	/87	/71
Socket	/56, /57, /106	/27, /59, /75, /77, /78, /103	/91	/88, /89	/72

**MIL-DTL-38999K
 SUPPLEMENT 1**

CROSS-REFERENCE

Cross – Reference of Superseded Document

Superseded document	Superseded by	Superseded document	Superseded by
MS27482	MS27474	MS27669	MIL-C-85049/57
MS27483	MS27477	MS27670	MIL-C-85049/63
MS27485	MIL-C-85049/58	MIL-C-38999/1	MIL-C-85049/27
MS28486	MIL-C-85049/75	MIL-C-38999/2	MIL-C-85049/62
MS27498	MS27467	MIL-C-38999/3	MIL-C-85049/33
MS27506	MIL-C-85049/49	MIL-C-38999/4	MIL-C-85049/30
MS27507	MIL-C-85049/47	MIL-C-38999/5	MIL-C-85049/17
MS27663	MIL-C-85049/45, /46	MIL-C-38999/6	MIL-C-85049/29
MS27664	MS27499	MIL-C-38999/7	MIL-C-85049/36
MS27667	-----	MIL-C-38999/8	MIL-C-85049/60
MS27668	MIL-C-85049/56	-----	-----

CONCLUDING MATERIAL

Custodians:
 Army - CR
 Navy - AS
 Air Force - 11
 DLA - CC

Preparing activity:
 DLA - CC
 (Project 5935-4410)

Review activities:
 Army - AR, MI
 Navy - EC, MC, OS
 Air Force - 19, 99
 DLA - IS