



INCH-POUND

MS14144C
AMENDMENT 1
10 November 1995

MILITARY SPECIFICATION SHEET

NUT, SELF-LOCKING, LIGHTWEIGHT,
CASTELLATED, 450°F

This amendment forms a part of MS14144C, dated 31 October 1994,
and is approved for use by all Departments and Agencies of the
Department of Defense.

PAGE 1

COLUMN F of Table:

Delete tolerance "+.016" and replace with " ±.016"

Custodians:
Army-AV
Air Force-99
Navy-AS


Preparing activity:
DLA-IS

(Project 5310-2201)

1 of 1

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODDS SPECIFIED IN THE SOLICITATION: MIL-N-25027

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.



(C) DENOTES CHANGE(S)

Form Approved
 OMB No. 0704-0188

DASH NUMBER	THREAD	øA		øB		C		øD		F	G		H		J	N	V	W		ULTIMATE TENSILE STRENGTH LB MIN	WEIGHT LB/100 MAX	COTTER PIN SIZE (REF)
		MAX	MIN	MIN	MAX	MIN	MAX	MIN	MAX		MIN	MAX	MIN	MAX								
3 L3	.1900-32UNJF-3B	.325	.291	.277	.220	.109	.065	.050	.265	.235	.150	.035	.025	.252	.243					2,460	.20	3/64
4 L4	.2500-28UNJF-3B	.420	.386	.348	.280	.125	.100	.070	.296	.266	.175	.035	.025	.315	.305					4,580	.34	1/16
5 L5	.3125-24UNJF-3B	.520	.482	.419	.342	.172	.100	.070	.343	.313	.200	.035	.055	.378	.367					7,390	.57	1/16
6 L6	.3750-24UNJF-3B	.579	.539	.480	.406	.219	.155	.125	.421	.391	.250	.053	.070	.440	.429					11,450	.88	3/32
7 L7	.4375-20UNJF-3B	.645	.600	.552	.467	.266	.155	.125	.468	.438	.300	.053	.070	.504	.492					15,450	1.20	3/32
8 L8	.5000-20UNJF-3B	.770	.725	.623	.530	.359	.155	.125	.578	.548	.400	.053	.070	.566	.554					21,110	1.90	3/32
9 L9	.5625-18UNJF-3B	.850	.815	.765	.592	.391	.186	.156	.624	.594	.475	.062	.080	.692	.678					26,810	3.30	1/8
10 L10	.6250-18UNJF-3B	.910	.875	.836	.655	.469	.186	.156	.734	.704	.550	.062	.090	.755	.741					34,130	4.30	1/8
12 L12	.7500-16UNJF-3B	1.130	1.095	.978	.785	.563	.186	.156	.828	.798	.625	.062	.100	.880	.865					50,020	6.00	1/8
14 L14	.8750-14UNJF-3B	1.345	1.300	1.121	.910	.656	.186	.156	.921	.891	.675	.062	.120	1.006	.990					68,440	10.00	1/8
16 L16	1.0000-12UNJF-3B	1.545	1.500	1.263	1.035	.750	.186	.156	1.015	.985	.750	.062	.120	1.132	1.115					90,000	14.00	1/8
18 L18	1.1250-12UNJF-3B	1.745	1.700	1.414	1.160	.813	.186	.156	1.171	1.141	.875	.062	.140	1.257	1.239					116,700	19.00	1/8
20 L20	1.2500-12UNJF-3B	1.915	1.875	1.556	1.285	.875	.186	.156	1.265	1.235	.950	.062	.140	1.383	1.364					147,940	24.00	1/8

INCH-POUND

PREPARING ACTIVITY: DLA-IS CUSTODIANS: ARMY- AV NAVY- AS AIR FORCE- 99 DLA- REVIEW: USER: PROJECT NUMBER: 5310-2030 DISTRIBUTION STATEMENT	MILITARY SPECIFICATION SHEET TITLE NUT, SELF-LOCKING, LIGHTWEIGHT, CASTELLATED, 450F.	SPECIFICATION SHEET NUMBER MS14144 31 OCT 94 REV C SUPERSEDING MS14144 B 13 SEP 93 AMSC- N/A FSC 5310
A. Approved for public release; distribution is unlimited.		Page <u>1</u> of <u>2</u>

