

NOTICE OF
CANCELLATION

INCH-POUND

AN924 REV 11
NOTICE 2
22 October 2001
SUPERSEDING
NOTICE 1
22 November 1999

AIR FORCE/NAVY AERONAUTICAL STANDARD
NUT, TUBE, BULKHEAD AND UNIVERSAL FITTING

AN924 REV 11, dated 21 March 1979, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS5178, "Nut, Fitting, Bulkhead."

Table 1 provides a detailed cross-reference of cancelled AN924 Part or Identifying Numbers (PINs) and replacement AS5178 PINs. The use of "AS" parts is preferable, but "AN" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS5178 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:
Army - AV
Navy - AS
Air Force - 99

Preparing activity:
DLA - IS
(Project 5310-2684)

Review activities:
Navy - MC, SA
Air Force - 82
DLA - CC

AN924 REV 11

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN924-2	.125	AS5178-02	AN924-8	.500	AS5178-08
AN924-2D	.125	AS5178D02	AN924-8D	.500	AS5178D08
AN924-2C	.125	AS5178J02	AN924-8C	.500	AS5178J08
AN924-2J	.125	AS5178J02	AN924-8J	.500	AS5178J08
AN924-2K	.125	AS5178K02	AN924-8K	.500	AS5178K08
AN924-2S	.125	AS5178R02	AN924-8S	.500	AS5178R08
AN924-2T	.125	AS5178T02	AN924-8T	.500	AS5178T08
AN924-2W	.125	AS5178W02	AN924-8W	.500	AS5178W08
AN924-3	.188	AS5178-03	AN924-10	.625	AS5178-10
AN924-3D	.188	AS5178D03	AN924-10D	.625	AS5178D10
AN924-3C	.188	AS5178J03	AN924-10C	.625	AS5178J10
AN924-3J	.188	AS5178J03	AN924-10J	.625	AS5178J10
AN924-3K	.188	AS5178K03	AN924-10K	.625	AS5178K10
AN924-3S	.188	AS5178R03	AN924-10S	.625	AS5178R10
AN924-3T	.188	AS5178T03	AN924-10T	.625	AS5178T10
AN924-3W	.188	AS5178W03	AN924-10W	.625	AS5178W10
AN924-4	.250	AS5178-04	AN924-12	.750	AS5178-12
AN924-4D	.250	AS5178D04	AN924-12D	.750	AS5178D12
AN924-4C	.250	AS5178J04	AN924-12C	.750	AS5178J12
AN924-4J	.250	AS5178J04	AN924-12J	.750	AS5178J12
AN924-4K	.250	AS5178K04	AN924-12K	.750	AS5178K12
AN924-4S	.250	AS5178R04	AN924-12S	.750	AS5178R12
AN924-4T	.250	AS5178T04	AN924-12T	.750	AS5178T12
AN924-4W	.250	AS5178W04	AN924-12W	.750	AS5178W12
AN924-5	.312	AS5178-05	AN924-16	1.000	AS5178-16
AN924-5D	.312	AS5178D05	AN924-16D	1.000	AS5178D16
AN924-5C	.312	AS5178J05	AN924-16C	1.000	AS5178J16
AN924-5J	.312	AS5178J05	AN924-16J	1.000	AS5178J16
AN924-5K	.312	AS5178K05	AN924-16K	1.000	AS5178K16
AN924-5S	.312	AS5178R05	AN924-16S	1.000	AS5178R16
AN924-5T	.312	AS5178T05	AN924-16T	1.000	AS5178T16
AN924-5W	.312	AS5178W05	AN924-16W	1.000	AS5178W16
AN924-6	.375	AS5178-06	AN924-20	1.250	AS5178-20
AN924-6D	.375	AS5178D06	AN924-20D	1.250	AS5178D20
AN924-6C	.375	AS5178J06	AN924-20C	1.250	AS5178J20
AN924-6J	.375	AS5178J06	AN924-20J	1.250	AS5178J20
AN924-6K	.375	AS5178K06	AN924-20K	1.250	AS5178K20
AN924-6S	.375	AS5178R06	AN924-20S	1.250	AS5178R20
AN924-6T	.375	AS5178T06	AN924-20T	1.250	AS5178T20
AN924-6W	.375	AS5178W06	AN924-20W	1.250	AS5178W20

AN924 REV 11

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN924-24	1.500	AS5178-24	AN924-40	2.500	AS5178-40
AN924-24D	1.500	AS5178D24	AN924-40D	2.500	AS5178D40
AN924-24C	1.500	AS5178J24	AN924-40C	2.500	AS5178J40
AN924-24J	1.500	AS5178J24	AN924-40J	2.500	AS5178J40
AN924-24K	1.500	AS5178K24	AN924-40K	2.500	AS5178K40
AN924-24S	1.500	AS5178R24	AN924-40S	2.500	AS5178R40
AN924-24T	1.500	AS5178T24	AN924-40T	2.500	AS5178T40
AN924-24W	1.500	AS5178W24	AN924-40W	2.500	AS5178W40
AN924-28	1.750	AS5178-28	AN924-48	3.000	AS5178-48
AN924-28D	1.750	AS5178D28	AN924-48D	3.000	AS5178D48
AN924-28C	1.750	AS5178J28	AN924-48C	3.000	AS5178J48
AN924-28J	1.750	AS5178J28	AN924-48J	3.000	AS5178J48
AN924-28K	1.750	AS5178K28	AN924-48K	3.000	AS5178K48
AN924-28S	1.750	AS5178R28	AN924-48S	3.000	AS5178R48
AN924-28T	1.750	AS5178T28	AN924-48T	3.000	AS5178T48
AN924-28W	1.750	AS5178W28	AN924-48W	3.000	AS5178W48
AN924-32	2.000	AS5178-32			
AN924-32D	2.000	AS5178D32			
AN924-32C	2.000	AS5178J32			
AN924-32J	2.000	AS5178J32			
AN924-32K	2.000	AS5178K32			
AN924-32S	2.000	AS5178R32			
AN924-32T	2.000	AS5178T32			
AN924-32W	2.000	AS5178W32			